

Framery Room Sensor™

framery

# Quick setup guide



# Get started in Framery Connect

To start using the sensor, set it up in Framery Connect first. Go to [connect.framery.com](https://connect.framery.com) or scan the QR code on the back of the sensor.

- 01 Log in to Framery Connect web platform
- 02 Set up the sensor and space details
- 03 Install the sensor on the wall

 If you already have the installation specification, please continue with those instructions.



## Occupancy and people counting data

Framery Room Sensor can be added to any space to collect anonymous occupancy and people counting data. The sensor can detect up to six people and provide insights you need to optimize your office.

## Privacy-first radar technology

Framery Room Sensor is based on radar technology. It uses radio waves to detect if people are in the room. Data collected with radar technology is completely anonymous: only movement and very rough shapes are detected.



## User manual & product safety information

For user manual and product safety information in your language, please go to [info.framery.com/roomsensor-manual](https://info.framery.com/roomsensor-manual) or scan the QR code.

Available in English, 日本語, Français, Deutsch, Español and other languages.



## Quick setup guide

For language versions of this Quick setup guide, please go to [info.framery.com/roomsensor-guide](https://info.framery.com/roomsensor-guide) or scan the QR code.

Available in English, 日本語, Français, Deutsch, Español and other languages.

## Before installing the sensor


- **Set up the sensor in Framery Connect**

The sensor must be installed in the exact spot defined during setup. Do not proceed until the sensor setup has been completed in the Framery Connect web platform.

- **Choose the right mounting method**

Attach the mounting plate using the screws included in the sensor box. Adhesive tape should only be used on glass surfaces.

 If you already have the installation specification, please continue with those instructions.




## 01 Check the sensor ID

The sensor ID is both on the back of the sensor and on the box. The ID needs to match the sensor ID that has been paired with the space in Framery Connect.




## 02 Attach the mounting plate

Attach the metal plate vertically to the wall. See the exact placement from the installation specification. Use screws by default, tape is only suitable for glass.



### 03 Flip the switch

Switch the sensor ON. Wait until you see a solid green light, this means the sensor is connected and can be installed. Refer to Framery Connect for additional info and help.



## 04 Mount the sensor

Place the sensor onto the mounting plate. It is magnetic and will snap into place. Installation is now complete, and the sensor will start collecting data.